## Approved For Release 2002/06/17 : CIA-RDP78B04747A002600030008-3

TID/TAB - 3/65 8 January 1965

MEMORANDUM FOR: Assistant for Plans and Development

SUBJECT:

Anamorphic Viewing Lens System

- 1. The purpose of this memorandum is principally to congratulate you on the development of the Anamorphic Viewing System. In this respect it is appropriate to indicate to you the concensus of opinion of TAB personnel after being introduced to the lens system on 8 January 1965. All individuals in the Branch, without qualification, had expression bordering on gratitude and each indicated during the briefing and afterwards the desire that such a system be made available to the Branch wherever possible.
- 2. It is also deemed appropriate to include in this memorandum some ideas where the Anamorphic System could be included. Specifically the system could be included:
  - a. In the development of the AP/3.
  - b. In the development of the Stereocomparator that is presently underway, and
  - c. In the completion of the point transfer device as a retrofit item.
- 3. It is personally considered that this application of anamorphosis, within my knowledge, is a significant breakthrough in the discipline of photogrammetry, especially in terms of human engineering. Mensuration, at best, is a most tedious and exhausting occupation even under ideal conditions, and the necessity of measuring distorted views compounds the human factor to the point intolerableness.
- 4. The introduction of the Anamorphic System will produce accuracy, efficiency, convenience, and make a significant contribution to the morale of mensurators.

Unier, Technical Analysis Branch

Distribution:

Orig - Addressee

1 - Chief, TID

Declass Review by NIMA/DOD

BB04747A002 6000 500 08-3 downgrading and declassification 25X1

25X1

## \* Approved For Release 2002/06/17 : CIA-RDP78B04747A002600030008-3

FROM: ()	hiej	U, TID	TAE	M DATE: 8 Jan
	то	INITIALS	DATE	REMARKS
DIR	_/	ach	1/12	
DEP/DIR				Sur ce plandels
EXEC/DIR	2	112		Sonce plandets come so soldon
			0	Came to felder
ASST FOR ADMIN			X	I thought I'd
		7		Share His me
T FOR OPS			X	
				with you. The
ASST FOR PA		1		active just the second
				Der. B. did do
ASST FOR P&D	3	1-11-0-		an excellent job
				an exactors J
CH/CSD				on this development.
CH/PD				1000,000
CH/PSD				HWC/
CH/TID				1 r
~				
CH/CIA/PID				
CH/DIA/NPIC				
CH/SPAD				
LO/NSA				

25X1